

Date: 13 September 2018

Clarification Note # 2

Invitation to Bid (ITB) No. UKR/06/2018 - Supply and Delivery of Conference System Equipment and Provision of Associated Services on Installation and Training

In accordance with issued ITB No. UKR/06/2018 - Supply and Delivery of Conference System Equipment and Provision of Associated Services on Installation and Training, the OSCE would like to provide the following clarifications to the ITB Documents:

Question: After a detailed study of the Terms of Reference, we found we had some questions about its content, namely: to connect one multimedia console you need 2 connectors. Thus, for 30 consoles, 60 connectors are needed. In paragraph 20 "Connectors, Bosch, DICENTIS DCNM-CBCON-I or Equivalent" of the Annex C_Terms of the Reference, one package is indicated which includes only 50 connectors. Thus, the Terms of Reference lack another 10 connectors. Due to the lack of connectors, please consider the possibility of making changes to the Terms of Reference of the document "Annex C_Terms of Reference", namely: to increase the number of packages to two, line item #20 "Connectors, Bosch, DICENTIS DCNM-CBCON-I or Equivalent"?

Answer: As envisaged by the Annex C_Terms of Reference, Conference system equipment shall be supplied with item #20 "Connectors, Bosch, DICENTIS DCNM-CBCON-I or equivalent". As it was reasonably justified, each box of original BOSCH DCNM-CBCON-I contains precisely 50 pieces of connectors. Taking into account that total number of multimedia devices is 30, Bidder should offer 2 connector's boxes for assembling the multimedia devices.

Thus, in the field "Quantity" for item #20 of the Annex C_Terms of Reference, Annex D_Technical Compliance Form and Annex E_Pricing Format, the quantity 1 should be changed for 2.

Sincerely,


Emina Sibic,
Chief of Fund Administration,
OSCE Project Coordinator in Ukraine



Attachments:

- 1) Annex D_Technical Compliance Form to ITB No. UKR/06/2018.
- 2) Annex E_Pricing Format to ITB No. UKR/06/2018.